

代码已测：

```
using System;
using System.Data;
using System.Configuration;
using System.Collections;
using System.Web;
using System.Web.Security;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Web.UI.WebControls.WebParts;
using System.Web.UI.HtmlControls;
using System.Data;
using System.Data.SqlClient;
public partial class Demo : System.Web.UI.Page
{
    protected SqlConnection conn; //添加数据库的操作对象
    protected SqlDataAdapter da;
    protected DataSet ds;
    protected SqlCommand comm;
    protected void Page_Load(object sender, EventArgs e)
    {
        getArticle();
    }
    private void getArticle() //取得Article 数据
    {
        conn = new SqlConnection("Data Source=(local);Initial Catalog=dmz;User ID=sa;Password=123456");//取连接字符串,建立连接
        da = new SqlDataAdapter();
        da.SelectCommand = new SqlCommand("select top 8 name,id from DMZ_Product Order by name,id DESC ",
conn);
        ds = new DataSet();
        try
        {
            conn.Open();
            da.Fill(ds, "Article");
            conn.Close();
        }
        catch (SqlException e1)
        {
            Response.Write(e1.ToString());
        }
        int cup = Convert.ToInt32(this.lb_CurrentPage.Text); //当前页数,初始化为地1 页
        PagedDataSource ps = new PagedDataSource();
        ps.DataSource = ds.Tables["Article"].DefaultView;
```

```

        ps.AllowPaging = true;
        ps.PageSize = 2; //每页显示的数据的行数
        ps.CurrentPageIndex = cup - 1;
        lb_count.Text = ps.DataSourceCount.ToString(); //获取记录总数
        lb_page.Text = ps.PageCount.ToString(); //获取总页数
        if (!IsPostBack)
        {
            for (int i = 1; i < ps.PageCount + 1; i++)
            {
                this.DropDownList1.Items.Add(i.ToString());
            }
            LinkUp.Enabled = true;
            LinkDown.Enabled = true;
        }
        try
        {
            DropDownList1.SelectedItem.Text = cup.ToString();
            DataList1.DataSource = ps;
            DataList1.DataBind();
        }
        catch (Exception ex)
        {
        }
    }
}

protected void LinkDown_Click(object sender, EventArgs e) //下一页按钮代码
{
    try
    {
        lb_CurrentPage.Text = Convert.ToString(Convert.ToInt32(lb_CurrentPage.Text) +
            1);
        DropDownList1.SelectedValue = lb_CurrentPage.Text;
        getArticle();
    }
    catch (Exception ex)
    {
        Response.Write("<script language=javascript>" + "alert(\"已经是最后一页\")" + "</script>");
        lb_CurrentPage.Text = "1";
        getArticle();
    }
}

protected void DropDownList1_SelectedIndexChanged(object sender, EventArgs e) //跳转到指定页代码
{
    int page = Convert.ToInt16((DropDownList1.SelectedItem.Value));

```

```

        lb_CurrentPage.Text = page.ToString();
        getArticle();
    }
protected void LinkUp_Click(object sender, EventArgs e) //上一页按钮代码
{
    try
    {
        if (Convert.ToInt16(lb_CurrentPage.Text) > 1)
        {
            lb_CurrentPage.Text =
                Convert.ToString(Convert.ToInt32(lb_CurrentPage.Text) - 1);
            DropDownList1.SelectedValue = lb_CurrentPage.Text;
            getArticle();
        }
    }
    else
    {
        Response.Write("<script language=javascript>" + "alert(\" 已经是第一页\")" + "</script>");
    }
}
catch (Exception ex)
{
    Response.Write("<script language=javascript>" + "alert(\" 已经是第一页\")" + "</script>");
}
}
protected void LinkFirst_Click(object sender, EventArgs e) //跳到第一页代码
{
    if (lb_CurrentPage.Text != "1")
        lb_CurrentPage.Text = "1";
    else
    {
        Response.Write("<script language=javascript>" + "alert(\" 已经是第一页\")" + "</script>");
    }
    getArticle();
}
protected void LinkLast_Click(object sender, EventArgs e) //跳到最后一页代码
{
    if (lb_CurrentPage.Text.ToString() != lb_page.Text.ToString())
        lb_CurrentPage.Text = lb_page.Text.ToString();
    else
    {
        Response.Write("<script language=javascript>" + "alert(\" 已经是最后一页\")" + "</script>");
    }
    getArticle();
}
}

```

```
}
```

.aspx 页面

```
<%@ Page Language="C#" AutoEventWireup="true" CodeFile="Demo.aspx.cs" Inherits="Demo"
%>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" >
<head id="Head1" runat="server">
<title> 无标题页</title>
</head>
<body>
<form id="form1" runat="server">
<div>
<asp:DataList ID="DataList1" runat="server">
<ItemTemplate>
<asp:Label ID="lbNwes" runat="server" Text="<%=#Eval("id")%>"></asp:Label>
&nbsp;
<asp:Label ID="lbTime" runat="server" Text="<%=#Eval("name")%>"></asp:Label>
</ItemTemplate>
</asp:DataList></div>
<br />
共<asp:Label ID="lb_count" runat="server" Text="Label"></asp:Label>条记录
&nbsp; &nbsp; &nbsp; 共<asp:Label ID="lb_page" runat="server" Text="Label"></asp:Label>页&nbsp;
&nbsp; 当前第<asp:Label ID="lb_CurrentPage" runat="server" Text="1"></asp:Label>页&nbsp; &nbsp;
&nbsp; &nbsp;
<asp:LinkButton ID="LinkFirst" runat="server" OnClick="LinkFirst_Click"> 第一页
</asp:LinkButton>
&nbsp; &nbsp;
<asp:LinkButton ID="LinkUp" runat="server" OnClick="LinkUp_Click"> 上一页
</asp:LinkButton>
&nbsp; &nbsp; <asp:LinkButton ID="LinkDown" runat="server" OnClick="LinkDown_Click"> 下一页
</asp:LinkButton>
&nbsp; &nbsp; <asp:LinkButton ID="LinkLast" runat="server" OnClick="LinkLast_Click"> 最后一页
</asp:LinkButton>
&nbsp; &nbsp; 转 到 第 <asp:DropDownList ID="DropDownList1" runat="server"
OnSelectedIndexChanged="DropDownList1_SelectedIndexChanged" AutoPostBack="True">
</asp:DropDownList>页
</form>
</body>
</html>
```

By:问苍茫大地 373653015 2009 年 8 月 6 日 0:27:28

System Make It !